



City of Seattle Preliminary Assessment Report

May 19, 2009

This report represents a preliminary determination of project requirements from various city departments based on project characteristics that you identified on the Site Plan and the Preliminary Application Form. The city's goal is to provide you with as much information and assistance as possible prior to your permit application submittal. Complete and accurate application materials help to reduce the need for correction cycles that delay permit approval. This coordinated list of requirements and decisions has been created for you to use as a reference for creating a more complete submittal package. The information in this report can also be utilized if you need to develop a street improvement plan (SIP) for submittal to SDOT for screening and acceptance (SDOT CAM 2206 and 2209).

Note: The applicant assumes full responsibility for determining all permit requirements and infrastructure improvements per applicable sections of the Seattle Municipal Code and the City of Seattle's Right-of-Way Improvement manual.

- If a SIP is required, SDOT must accept your SIP before DPD construction intake (see CAM 2209).
- If street improvements are required, you must obtain all necessary permits from SDOT.
- Street use permits are required for all work in the right-of-way (see SDOT CAM 2100).

Project Summary

AP/Project No.	6209084	Ground Disturbance	Y
Application Template	BLDG	PASV Required This Permit	N
Application Type	CONSTRUCTION AND DEVELOPMENT	Date PASV Completed	(Not Req)
Category	COMMERCIAL	PASV Done Under	3009794
DPD Review Type	FULL C	Permit Remarks	
Address	1830 Broadway		
Location			
Zoning	NC3-40	Applicant	KYM WILLIAMS 401 S JACKSON ST SEATTLE WA 98104 (206) 398-5156
King County APN	6003001385		
Permit Status	Initial Information Collected		
Description of Work	Excavation of approximately 25,000 cu yds and installation of shoring system for light rail transit facility, per plan (Review and processing done under 6209080)	Applicant Email	kym.williams@soundtransit.org
SDOT Project No		Linked AP/Project Nos.	

Seattle City Light Requirements

Contact: Ray Ramos, (206) 615-1193, ray.ramos@seattle.gov

Street and Alley Requirements BROADWAY

Underground electrical facilities/conductors require separation from other utilities. Review SCL Construction Guideline U2-10, Electrical Conduit and Facilities in the Public Rights of Way (<http://www.seattle.gov/Light/engstd/>). Before digging, contact the Utilities Underground Location Center ("one-call") at (800) 424-5555 two business days in advance to locate and mark underground utilities, per state law (RCW 19.122). There is underground high voltage along the east side of Broadway.

Based on our assessment of the size of your project, you may need transformers on your private property for power service to your building. This can be done with vaults inside the building, below-grade vaults, or

above-grade pads exterior to the building. Include these facilities for your project power needs in your building plans. SCL has access, clearance, size and location requirements for vaults. Some transformers require long lead times to obtain.

E DENNY WAY

10' clearance from structures: 10-foot horizontal clearance required between power lines and permanent structures. Review DPD CAM 122, Electric Utility Clearance Requirements, and SCL Construction Guideline D2-3, Clearances from Structures and Ground (<http://www.seattle.gov/Light/engstd/>). Changes to SCL's system to meet clearances are done at the project's expense. There are overhead high voltage lines along the south side of E Denny Way.

Working Clearance: State law requires construction workers, their tools, machinery, equipment, and materials to maintain a 10-foot clearance from power lines. Review WAC 296-24-960. Transmission lines require greater clearance. To work near power lines, notify SCL well in advance to de-energize and ground the lines, or relocate the lines temporarily. This SCL work is done at the project's expense. There are overhead high voltage lines along the south side of E Denny Way.

Scaled building elevation drawings will be required to determine clearances.

Underground electrical facilities/conductors require separation from other utilities. Review SCL Construction Guideline U2-10, Electrical Conduit and Facilities in the Public Rights of Way (<http://www.seattle.gov/Light/engstd/>). Before digging, contact the Utilities Underground Location Center ("one-call") at (800) 424-5555 two business days in advance to locate and mark underground utilities, per state law (RCW 19.122). There is underground high voltage & transmission along E Denny Wy.

Other Requirements

- Please contact the Electric Service Representative for your area several months before new service is required to determine your electric service design, service location and what kind of service is available at the building site. Your Electric Service Representative is: Max Castillo, 206-386-4203, max.castillo@seattle.gov

DPD Drainage Requirements

Contact: Michelle M Macias, (206) 684-3068, michelle.macias@seattle.gov

Existing Public Drainage Infrastructure

Sanitary sewer main location: E Denny Way

Sanitary sewer main size: 26-39-inches (oval)

Storm drainage main location: E Denny Way

Storm drainage main size: 36-inches

Drainage

The drainage point of discharge (SMC 22.802.015.C.1) is located at: Public storm drain system. E Denny Way Projects with 5,000 ft² or more of new pollution-generating impervious surfaces or greater than 1 acre of accumulative new and replaced pollution-generating impervious surface (the sum of both right of way and private property work), except those that discharge to a combined sewer system, shall be required to install and maintain a stormwater treatment facility (SMC 22.802.016 B1). required if project exceeds thresholds.

Wastewater

The wastewater point of discharge (SMC 21.16.070.B) is located at E Denny Way.

Permanent and Temporary Dewatering

Per SMC 21.16.110, the proposed project requires a separate side sewer permit for temporary dewatering based on the following: significant volume of groundwater.

The footing drain (if part of building plan) point of discharge (DPD DR 3-2006/SPU DR 02-06 VII.H) is located at the following: Public storm drain system.

Other Requirements

- For projects exceeding 5,000 of new/replaced impervious surface, a comprehensive drainage control plan prepared by a licensed civil engineer shall be submitted with the permit application.

DPD Land Use Code Requirements

Contact: Christopher Amba Ndifon, (206) 684-5046, christopher.ndifon@seattle.gov

Street Requirements

Based on the scope of the proposed project, the following street improvements are required per Chapter 23.53 of the Seattle Municipal Code. Please review Right-of-Way Improvements Manual for design criteria (<http://www.seattle.gov/transportation/rowmanual/manual/>). Show required street improvements on your "enhanced site plan" at DPD permit application intake. If an SDOT Street Improvement Plan (SIP) is required, please list SDOT project number and SDOT contact name on the enhanced site plan. Street Improvement Plans must be accepted by SDOT prior to DPD permit application intake.

BROADWAY

Based on the documents provided, no street improvements are required per SMC 23.53.015 and SMC 23.53.006

E DENNY WAY

Based on the documents provided, no street improvements are required per SMC 23.53.015 and SMC 23.53.006

NAGLE PL

New structures must be designed to accommodate future right-of-way improvements. To ensure that driveways and pedestrian access points are designed to match these future street improvements, please use the Building Grade Calculator, which can be found at <http://www.seattle.gov/transportation/gradesheetintro.htm>

Because full street improvements are not being required for this project, a no-protest agreement is required. This form can be found at http://www.seattle.gov/dpd/Publications/Forms/Building_Permit/default.asp.

SDOT Requirements

Contact: Joel Prather, (206) 615-0772, joel.prather@seattle.gov

Based on the information provided at this time, it appears that no street improvements are **required**. All work in the right-of-way requires a permit. Therefore, if you are planning discretionary improvements you should contact SDOT as soon as possible. Be advised that it is the applicant's responsibility to seek guidance from SDOT Street Use should the scope of the project change, or should the applicant become aware of proposed construction in the ROW. Failure to contact SDOT at your earliest convenience could severely impact your project's scope, schedule and budget. This responsibility rests solely with the applicant.

SPU Requirements

Contact: Susie Larson, susie.larson@seattle.gov

Existing Public Infrastructure - Water

Water main location: Broadway; Denny Way; Nagle Pl

Water main size: 10"; 12"; 12"

Water main pipe material: Cast Iron; Cast Iron; Ductile Iron

Closest fire hydrant location: NE corner of Broadway & Denny

Closest fire hydrant distance from property line: 75

Solid Waste

For all multifamily, commercial, and industrial properties, the requirements for solid waste storage and pickup are outlined in SPU CAM 1301, available on the web at:

http://www.seattle.gov/util/stellent/groups/public/@spu/@csb/documents/webcontent/cos_004542.pdf. For questions about solid waste requirements, contact Liz Kain, (206) 684-4166, Liz.Kain@seattle.gov.

Other Requirements

Owners of residential property occupied by a tenant who will be displaced by housing demolition, substantial rehabilitation, change of use, or removal of use restrictions may need to obtain a Tenant Relocation License. Refer to DPD CAM 123, Seattle's Tenant Relocation Assistance Ordinance, for further information and instructions or call (206) 684-7889.

If your project involves additions or modification to or demolition of an existing building that contains four or more dwelling units or 4,000 square feet or more of non-residential area, and the building is a designated historic landmark or is 50 years old and meets the criteria set forth in SMC 25.12 for landmark designation, SEPA is required. Please contact the Department of Neighborhoods at (206) 684-0228 or www.seattle.gov/neighborhoods/preservation to determine if your building is a designated landmark or if a referral is necessary to determine if the building meets the criteria in SMC 25.12. Refer to CAM 208 for information regarding the application requirements for a SEPA review and CAM 3000 for information regarding landmarks and historic preservation.

Applicant Next Steps

1. Please review the requirements set forth in this report.
2. Use Client Assistance Memos (CAMs), checklists and standards, and 5 Steps for a Successful DPD Application Submittal (available on the DPD website) for additional information.
3. Call or e-mail the appropriate contact if you have any outstanding questions.
4. If a SIP is required, you must submit it to SDOT to screen for acceptance a minimum of five days prior to DPD construction intake. DPD will not accept your application until this has been done.
5. Use the Seattle City Light website to obtain a range of information and services including the Requirements for Electric Service Connection (RESC), electric service applications and guidelines (<http://www.seattle.gov/light/newconstruction/>).
6. Contact an Electric Service Representative for your electrical service design and connection questions:
North of Denny Way (206) 615-0600
South of Denny Way (206) 386-4200
Large Commercial & Industrial (206) 233-7177
Service Applications (206) 233-APPS (2777)
7. If you have additional questions or need additional help, you may request a pre-submittal conference. For more information, call (206) 684-8850 or go to DPD's website for a copy of the pre-submittal conference application and instructions (http://www.seattle.gov/dpd/Publications/Forms/Building_Permit/default.asp).
8. When all issues have been addressed, you may schedule an intake appointment with DPD. Please bring a copy of this report.

The requirements and determinations set forth in this document are based on the following:

Details provided by the applicant on the preliminary application form and site plan submitted to DPD. If project criteria are changed before your SDOT SIP is designed and/or before your DPD intake, the requirements in this report are subject to change.

Current stormwater and side sewer codes. Major updates to these codes are expected in the third quarter of 2009. Projects are vested at the time of complete application acceptance.

Current municipal codes and ordinances, which may be subject to change. If there are code changes prior to your DPD intake, the project must meet the new code requirements unless it is vested through a published master use permit (MUP) decision.

The scope of your proposed project as described in the preliminary application form. Additional street improvement requirements may be triggered if a permit application for a development project on adjacent property is also undergoing review.